according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# MAXFORCE QUANT CLM RB

Version	Revision Date:	SDS Number:	Date of last issue: 19.04.2023
2.1	20.06.2023	11180473-00005	Date of first issue: 13.03.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Trade name	:	MAXFORCE QUANT CLM RB
Product code	:	Article/SKU: 81764727 UVP: 79212690 Specification: 102000018213

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-	:	Insecticide
stance/Mixture		

### 1.3 Details of the supplier of the safety data sheet

Company	:	2022 Environmental Science FR S.A.S. Lyon Vaise Business Center, 3 Place Giovanni Da Verrazzano 69009 Lyon, France
Telephone	:	+33 451 081 508
E-mail address of person responsible for the SDS	:	service.clients.es.france@envu.com

## 1.4 Emergency telephone number

+30 21 0779 3777

For Emergency or Spill call: +30 21 1176 8478 (24/7 multilingual support)

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## Classification (REGULATION (EC) No 1272/2008)

Long-term (chronic) aquatic hazard, Cat- H egory 1 eff

H410: Very toxic to aquatic life with long lasting effects.

## 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# MAXFORCE QUANT CLM RB

Version 2.1	Revision Date: 20.06.2023	-	SDS Nun 1180473		Date of last issue: 19.04.2023 Date of first issue: 13.03.2023
Ū	I word d statements	:	Warnir H410	5	to aquatic life with long lasting effects.
Precautionary statements		:	<b>Preve</b> P273		ase to the environment.
			<b>Respo</b> P391	o <b>nse:</b> Collect spi	llage.
			<b>Dispo</b> : P501 dispos		contents/ container to an approved waste

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

## 3.2 Mixtures

Chemical nature

: Bait (ready for use) (RB)

## Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Imidacloprid	138261-41-3 428-040-8 612-252-00-4	Acute Tox. 3; H301 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 1.000	>= 0,025 - < 0,1

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# MAXFORCE QUANT CLM RB

Version 2.1	Revision Date: 20.06.2023	SDS Number: 11180473-00005	Date of last issue: 19.04.2023 Date of first issue: 13.03.2023	
			Acute toxicity esti- mate	
			Acute oral toxicity: 131 mg/kg	

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
4.2 Most important symptoms a	nd e	ffects, both acute and delayed
Symptoms	:	If large amounts are ingested, the following symptoms may occur: Nausea Abdominal pain Dizziness Symptoms and hazards refer to effects observed after intake of significant amounts of the active ingredient(s). Due to its low concentration intake of a hazardous amount of active ingredient from this formulation is unlikely.
Risks	:	This product contains a nicotinoid.
4.3 Indication of any immediate	med	dical attention and special treatment needed
Treatment	:	Treat symptomatically. There is no specific antidote available. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# MAXFORCE QUANT CLM RB

Versio 2.1	on	Revision Date: 20.06.2023		DS Number: 180473-00005	Date of last issue: 19.04.2023 Date of first issue: 13.03.2023
				However, the application of activated charcoal and sodium sulphate is always advisable. Monitor: respiratory and cardiac functions. Appropriate supportive and symptomatic treatment as indicat- ed by the patient's condition is recommended.	
SEC	TION	5: Firefighting meas	sur	es	
5.1 Ex	xtingu	ishing media			
S	Suitable	e extinguishing media	:	Water spray Alcohol-resistant f Carbon dioxide (C Dry chemical	
	Unsuitable extinguishing media		:	High volume wate	r jet
5.2 Sj	pecial	hazards arising from	the	e substance or mi	xture
	Specific fighting	hazards during fire-	:	Exposure to comb	oustion products may be a hazard to health.
	Hazard ucts	ous combustion prod-	:	Carbon oxides	
5.3 Ao	dvice	for firefighters			
	Special for firefi	protective equipment ghters	:	In the event of fire Use personal prot	, wear self-contained breathing apparatus. ective equipment.
	Specific ods	c extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. Jed containers from fire area if it is safe to do

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).

## 6.2 Environmental precautions

Environmental precautions	:	Avoid release to the environment.
		Prevent further leakage or spillage if safe to do so.
		Retain and dispose of contaminated wash water.
		Local authorities should be advised if significant spillages cannot be contained.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# MAXFORCE QUANT CLM RB

Version	Revision Date:	SDS Number:	Date of last issue: 19.04.2023
2.1	20.06.2023	11180473-00005	Date of first issue: 13.03.2023

## 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Sweep up or vacuum up spillage and collect in suitable con- tainer for disposal. Local or national regulations may apply to releases and dis- posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter- mine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
-------------------------	---	--

## 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Avoid breathing vapours. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami- nated clothing before re-use.
7.2 Conditions for safe storage,	inc	uding any incompatibilities
Requirements for storage areas and containers	:	Keep in properly labelled containers. Store in accordance with the particular national regulations.
Advice on common storage	:	Do not store with the following product types: Strong oxidizing agents
7.3 Specific end use(s)		
Specific use(s)	:	Refer to the label and/or leaflet.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# MAXFORCE QUANT CLM RB

Version	Revision Date:	SDS Number:	Date of last issue: 19.04.2023
2.1	20.06.2023	11180473-00005	Date of first issue: 13.03.2023

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

#### **Engineering measures**

Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

#### Personal protective equipment

Eye/face protection	:	Wear the following personal protective equipment:
		Safety glasses
		Equipment should conform to EAOT EN 166

Hand protection

Material Break through time Glove thickness Directive	-	Nitrile rubber 480 min 0,4 mm Equipment should conform to ΕΛΟΤ ΕΝ 374
Remarks	:	Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous sub- stance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufactur- er. Wash hands before breaks and at the end of workday. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local condi- tions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
Skin and body protection	:	Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).
Respiratory protection	:	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Equipment should conform to EAOT EN 143
Filter type	:	Particulates type (P)

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	
F Hysical State	•

gel

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# MAXFORCE QUANT CLM RB

Vers 2.1	sion	Revision Date: 20.06.2023		S Number: 80473-00005	Date of last issue: 19.04.2023 Date of first issue: 13.03.2023
	Colour		:	colourless, light y	vellow
	Odour		:	characteristic, ver	y faint
	Odour <sup>-</sup>	Threshold	:	No data available	
	Melting	point/freezing point	:	No data available	
	Initial b range	oiling point and boiling	:	No data available	
	Flamma	ability (solid, gas)	:	Not classified as	a flammability hazard
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	
	Flash p	oint	:	> 100,00 °C	
	Auto-ig	nition temperature	:	No data available	
	Decom	position temperature	:	175 °C Heating rate: 3 K (for a component exothermic	
	рН		:	>= 4 (23 °C) Concentration: 10	) %
	Viscosi	ty osity, dynamic	:	>= 5.400 mPa.s (	(20 °C)
		osity, kinematic	:	Not applicable	20 0)
	Solubili				
		er solubility	:	soluble	
	Partition octanol	n coefficient: n- /water	:	Not applicable	
	Vapour	pressure	:	Not applicable	
	Density		:	1,43 g/cm <sup>3</sup> (20,00	) °C)
	Relative	vapour density	:	Not applicable	
		characteristics icle size	:	No data available	

## 9.2 Other information

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# MAXFORCE QUANT CLM RB

Version 2.1	Revision Date: 20.06.2023		S Number: 180473-00005	Date of last issue: 19.04.2023 Date of first issue: 13.03.2023	
Expl	osives	:	Not explosive Method: OECD <sup>-</sup>	Fest Guideline 113	
Oxid	Oxidizing properties		The substance or mixture is not classified as oxidizing.		
Self-	ignition	: 380 °C Method: Tested according to Directive 92/69/EEC.		according to Directive 92/69/EEC.	
Evap	oration rate	:	Not applicable		
Minir	num ignition energy	:	Not applicable		
Mole	cular weight	:	No data available		

## **SECTION 10: Stability and reactivity**

# 10.1 Reactivity Not classified as a reactivity hazard. 10.2 Chemical stability Stable under normal conditions. 10.3 Possibility of hazardous reactions Hazardous reactions : Can react with strong oxidizing agents. 10.4 Conditions to avoid Conditions to avoid : None known. 10.5 Incompatible materials Materials to avoid : Oxidizing agents

## **10.6 Hazardous decomposition products**

No hazardous decomposition products are known.

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of : Skin contact exposure Ingestion Eye contact

## Acute toxicity

Not classified based on available information.

## Product:

Acute oral toxicity

: LD50 (Rat): > 2.500 mg/kg Remarks: Based on data from similar materials

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# MAXFORCE QUANT CLM RB

ersion .1	Revision Date: 20.06.2023	SDS Number:Date of last issue: 19.04.202311180473-00005Date of first issue: 13.03.2023
Acute	e dermal toxicity	: LD50 (Rat): > 2.000 mg/kg Remarks: Based on data from similar materials
<u>Com</u>	oonents:	
Imida	acloprid:	
Acute	e oral toxicity	: LD50 (Mouse, male): 131 mg/kg Method: OECD Test Guideline 401
Acute	inhalation toxicity	: LC50 (Rat): > 5,323 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute	e dermal toxicity	: LD50 (Rat): > 5.000 mg/kg
Skin	corrosion/irritation	
Not c	lassified based on avai	lable information.
Prod		
Speci Resul		: Rabbit : No skin irritation
Rema		: Based on data from similar materials
<u>Com</u>	<u>oonents:</u>	
Imida	acloprid:	
Speci Resul		: Rabbit : No skin irritation
Serio	ous eye damage/eye i	rritation
Not c	lassified based on avai	lable information.
Prod	uct:	
Speci		: Rabbit
Resul Rema		<ul><li>No eye irritation</li><li>Based on data from similar materials</li></ul>
<u>Com</u>	oonents:	
Imida	acloprid:	
Speci Resul		: Rabbit : No eye irritation
Resp	iratory or skin sensiti	sation
Skin	sensitisation	
Not c	lassified based on avai	lable information.
-	<b>iratory sensitisation</b> lassified based on avai	lable information.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# MAXFORCE QUANT CLM RB

Vers 2.1	sion		-	0S Number: 180473-00005	Date of last issue: 19.04.2023 Date of first issue: 13.03.2023
	Produc Test Ty Exposu Species Method Result	pe re routes	:	Magnusson-Kligma Skin contact Guinea pig OECD Test Guidel negative	
	<u>Compo</u>	nents:			
	Imidacl Test Ty Exposu Species Method Result	re routes	:	Magnusson-Kligma Skin contact Guinea pig OECD Test Guidel negative	
		<b>sell mutagenicity</b> ssified based on availab	le	information.	
	<u>Compo</u>	nents:			
	Imidac Genoto	loprid: xicity in vitro	:	Result: negative	al reverse mutation assay (AMES) mammalian cell gene mutation test
				Test Type: Chromo Result: negative	osome aberration test in vitro
	Not clas <b>Reprod</b>	ogenicity ssified based on availab luctive toxicity ssified based on availab			
	Compo		ie	mormation.	
	Imidac		:	Test Type: Embryo Species: Rat Application Route: Result: negative	o-foetal development Ingestion
		single exposure ssified based on availab	le	information.	

## STOT - repeated exposure

Not classified based on available information.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# MAXFORCE QUANT CLM RB

Version	Revision Date:	SDS Number:	Date of last issue: 19.04.2023
2.1	20.06.2023	11180473-00005	Date of first issue: 13.03.2023

## Repeated dose toxicity

## Components:

## Imidacloprid:

:	Mouse, male
:	17 mg/kg
:	Ingestion
:	24 Months
	:

## Aspiration toxicity

Not classified based on available information.

## 11.2 Information on other hazards

#### Endocrine disrupting properties

## Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

## Product:

Toxicity to fish :	LC50 (Oncorhynchus mykiss (rainbow trout)): 211 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other : aquatic invertebrates	EC50 (Daphnia magna (Water flea)): 85 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
	EC50 (Chironomus riparius (harlequin fly)): 0,552 mg/l Exposure time: 24 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
	EC50 : 0,001020 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic : plants	ErC50 (Desmodesmus subspicatus (green algae)): > 10 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# MAXFORCE QUANT CLM RB

Vers 2.1	ion	Revision Date: 20.06.2023		0S Number: 180473-00005	Date of last issue: 19.04.2023 Date of first issue: 13.03.2023
	-	to daphnia and other invertebrates (Chron- ity)	:		8 d nus riparius (harlequin fly) on data from similar materials
				EC10: 0,024 µg/l Exposure time: 28 Remarks: Based o	d on data from similar materials
	<u>Compo</u>	onents:			
	Imidac	loprid:			
	Toxicity	to fish	:	LC50 (Oncorhynch Exposure time: 96	nus mykiss (rainbow trout)): 211 mg/l 3 h
		to daphnia and other invertebrates	:	EC50 : 0,0027 mg Exposure time: 48	
	Toxicity plants	to algae/aquatic	:	ErC50 (Desmodes Exposure time: 96 Method: OECD Te	
				NOEC (Desmodes Exposure time: 96 Method: OECD Te	
	M-Facto icity)	or (Acute aquatic tox-	:	100	
	Toxicity	to microorganisms	:	NOEC (activated Exposure time: 3	sludge): 5.600 mg/l h
		v to fish (Chronic tox-	:	NOEC: 9,02 mg/l Exposure time: 91 Species: Oncorhy Method: OECD Te	nchus mykiss (rainbow trout)
		to daphnia and other invertebrates (Chron- ity)	:	EC10: 0,000056 r Exposure time: 21	
	M-Factor toxicity	or (Chronic aquatic )	:	1.000	
12.2	Persist	ence and degradabil	ity		
	<u>Compc</u>	onents:			
	Imidac	loprid:			
	Diadaa	adability		Beault: not rapidly	ala awa alab la

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# MAXFORCE QUANT CLM RB

Version	Revision Date:	SDS Number:	Date of last issue: 19.04.2023
2.1	20.06.2023	11180473-00005	Date of first issue: 13.03.2023

## 12.3 Bioaccumulative potential

#### Components:

#### Imidacloprid:

Partition coefficient: n- : log Pow: 0,57 octanol/water

:

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

No data available

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	:	It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.
Contaminated packaging	:	Follow advice on product label and/or leaflet. Empty containers retain residue and can be dangerous. Do not re-use empty containers.
Waste Code	:	The following Waste Codes are only suggestions:
		used product

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# MAXFORCE QUANT CLM RB

Version 2.1	Revision Date: 20.06.2023	SDS Number: 11180473-00005	Date of last issue: 19.04.2023 Date of first issue: 13.03.2023
		20 01 19, pesti	cides
		unused product 20 01 19, pestic	
		uncleaned pack 15 01 10, packa by hazardous s	aging containing residues of or contaminated

## **SECTION 14: Transport information**

	ADN	:	UN 3077	
	ADR	:	UN 3077	
	RID	:	UN 3077	
	IMDG	:	UN 3077	
	ΙΑΤΑ	:	UN 3077	
14.	2 UN proper shipping name			
	ADN	:	ENVIRONMENTALLY N.O.S. (Imidacloprid)	HAZARDOUS SUBSTANCE, SOLID,
	ADR	:	ENVIRONMENTALLY N.O.S. (Imidacloprid)	HAZARDOUS SUBSTANCE, SOLID,
	RID	:	ENVIRONMENTALLY N.O.S. (Imidacloprid)	HAZARDOUS SUBSTANCE, SOLID,
	IMDG	:	ENVIRONMENTALLY N.O.S. (Imidacloprid)	HAZARDOUS SUBSTANCE, SOLID,
	ΙΑΤΑ	:	Environmentally hazar (Imidacloprid)	rdous substance, solid, n.o.s.
14.	3 Transport hazard class(es)			
			Class	Subsidiary risks
	ADN	:	9	
	ADR	:	9	
	RID	:	9	
	IMDG	:	9	
	ΙΑΤΑ	:	9	
4.4	1 Deeking group			

14.4 Packing group

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# MAXFORCE QUANT CLM RB

Version 2.1	Revision Date: 20.06.2023	SDS Number: 11180473-00005	Date of last issue: 19.04.2023 Date of first issue: 13.03.2023
Clas	king group ssification Code ard Identification Number	: III : M7 : 90 : 9	
Clas Haz Labe	king group ssification Code ard Identification Number	: III : M7 : 90 : 9 : (-)	
Clas	king group ssification Code ard Identification Number	: III : M7 : 90 : 9	
Labe	king group	: III : 9 : F-A, S-F	
Pac airci Pac Pac	king instruction (LQ) king group	: 956 : Y956 : III	
Pac ger Pac	els A (Passenger) king instruction (passen- aircraft) king instruction (LQ) king group	: Miscellaneous : 956 : Y956 : III	
Labe		: Miscellaneous	
<b>ADN</b> Envi	<b>l</b> ironmentally hazardous	: yes	
<b>ADF</b> Envi	<b>R</b> ironmentally hazardous	: yes	
<b>RID</b> Envi	ronmentally hazardous	: yes	
	ine pollutant	: yes	
Envi	A (Passenger) ironmentally hazardous	: yes	
	A (Cargo) ironmentally hazardous	: yes	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# MAXFORCE QUANT CLM RB

Version	Revision Date:	SDS Number:	Date of last issue: 19.04.2023
2.1	20.06.2023	11180473-00005	Date of first issue: 13.03.2023

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Maritime transport in bulk according to IMO instruments

Remarks

: Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)			Not applicable	
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).			Not applicable	
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer			Not applicable	
Regulation (EU) 2019/1021 on pettants (recast)	ersistent organic pollu-	:	Not applicable	
Regulation (EC) No 649/2012 of ment and the Council concerning of dangerous chemicals	-	:	Imidacloprid	
REACH - List of substances subj (Annex XIV)	ect to authorisation	:	Not applicable	
Regulation (EU) No 528/2012 of a concerning the making available Product Type : Active substance :		of bio	ocidal products	
	Imidacloprid			
Seveso III: Directive 2012/18/EU major-accident hazards involving				
E1	ENVIRONMENTAL HAZARDS		Quantity 1 100 t	Quantity 2 200 t
Volatile organic compounds :	Directive 2010/75/EU o emissions (integrated p Remarks: Not applicable	oollu		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# MAXFORCE QUANT CLM RB

Version	Revision Date:	SDS Number:	Date of last issue: 19.04.2023
2.1	20.06.2023	11180473-00005	Date of first issue: 13.03.2023

## 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

#### Full text of H-Statements

Full text of other abbreviat		,
H410	:	Very toxic to aquatic life with long lasting effects.
H400	:	Very toxic to aquatic life.
H301	:	Toxic if swallowed.

Acute Tox.	:	Acute toxicity
•		Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail: SADT - Self-Accelerating Decomposition Temperature: SDS - Safety Data Sheet: SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# MAXFORCE QUANT CLM RB

Version	Revision Date:	SDS Number:	Date of last issue: 19.04.2023
2.1	20.06.2023	11180473-00005	Date of first issue: 13.03.2023
Furth	er information		
	ces of key data used to		cal data, data from raw material SDSs, OECD
	ile the Safety Data		search results and European Chemicals Agen-
Shee	t	cy, http://echa.	europa.eu/
Class	sification of the mixtu	ire:	Classification procedure:

Aquatic Chronic 1 H410 Based on product data or assessment

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GR / EN